INDEX TO VOLUME I

The page numbers of the principal references and the new taxonomic names are printed in **bold-face** type, synonyms in *italics*. Names of infraspecific taxa are indexed only when they are new or are synonyms.

Acrostichum aureum **167**
auriculatum 172
calomelanos 178
fluviatale 172
palustre 173
punctatum 156
punctulatum 172
sorbifolium 173
stemaria 155
Adams, C. D. 145–185
ADIANTACEAE 178–181
Adiantum caudatum **179**
confine **179**
hispidulum 179
palmatum 180
philippense 148, **179**
soboliferum **179**
tetraphyllum 179
vogelii **179**
Aecidium circaeae **202**
cunninghamianum **202**
infrequens **203**
leucospermum 206
montanum **203**
pleurospermae **203**
rhododendri **203**
saniculae 203
sino-rhododendri 203
thomsoni 207
urceolatum **204**
violae 210
Agaricus infundibuliformis 190
Alston, A. H. G. . 27–50, 145–185, 221–274
Alyssum **fastigiatum** **92**
montanum 93
parviflorum 93
Amylaria himalayensis . . **197**, Fig. 1
Anemone hepatica 86
Anisosorus occidentalis **163**
Anomopanax arfakensis 4, 8
celebicus 4, 8
cumingianus 8
digitatus 7
philippinensis 4, 8
schlechteri 3, 6, 7
variaefolius 4, 8
versteegii 7
warburgii 8
Aplectrocapnos baetica 90, 92
integrifolia 91, 92
Aquilegia aragonensis 85
bernardii 85
bertolonii 85
cazorlensis **84**
discolor 85
einseleana 85
fragrans 85
monsicciana 85
nevadensis 85
paui 85
pyrenaica 85, 86
thalictrifolia 85
vulgaris 85, 86
Aralia apoensis 9, **18**
bipinnata 18
dasyphylla 18
Araliaceae, Contributions to our knowledge of Old World 3–20
New species and new records from New Guinea and the Solomon Islands 9–18
Notes on Asiatic 18–20
Arthrophyllum diversifolium 18
macranthum **18**
Arthropteris monocarpa **162**
obliterata 162
orientalis **162**
ramosa **162**
ASCOMYCETES 211–216
Ascosporium deformans 214
Aspidium acutum 160
biserratum 160
buchholzii 176
cicutarium 176
cirrhosum 174
cruciatum 159
currori 174
guineense 160
lanigerum 175
protensum 175
ramosum 162
securidiforme 175
speciosum 176
striatum 159
sublobatum 162
subquinquefidum 175

Aspidium—contd.
thonningii 162
undulatum 161
unitum 159
ASPLENIOIDEAE 167–171
Asplenium africanum . . . **167**, 169
akimense **168**
barteri **168**
brachyopterum 169
buettneri **168**, 169
cuneatum 149, **168**
currori 168, **169**
diplazisorum . . . 149, **169**
dregeanum **169**
efulense 171
emarginatum . . . 149, **169**
formosum **49**, **170**
furcatum 168
geppii 149, **170**
guineense 167
hemitomum **170**
hylophilum 177
kaulfussii 240
macrophlebium 168
megalura 170
paucijugum **170**
proliferum 177
sammatii 178
sinuatum 167
suppositum **171**
sylvaticum 177
unilaterale **171**
variabile 170, **171**
welwitschii 178
Astraeus hygrometricus **201**
ATHYRIOIDEAE 177–178
Azolla africana 148, **182**
guineensis 182

Balfour-Browne, F. L. . . . 189–218
Boerlagiodendron pfeilii 12
russellensis **12**
tricolor **11**
Bolbitis acrostichoides **171**
auriculata **172**
fluviatilis 149, **172**
gemmifera **172**
heudelotii **172**
salicina **173**
Bondarzewia montana **193**
Bovista cervina 201
Box, H. E. 21–24
Brassaiopsis, New species of . . 19–20
Brassaiopsis **castaneifolia** . . . **20**
chengkangensis 19
karmalaica **19**
simplicifolia 20
Bumelia mastichodendrum . . . 23
Butumia marginalis . . . **55**, Fig. 2

Caeoma chelidonii 206
fumariae 206
Calocera viscosa **201**
Cantharellus floccosus 191
Capnodium fructicolum 212
Ceratopteris cornuta **178**
thalictroides 178
Cerioporus montanus 193
Ceropteris calomelanos 178
Ceterach officinarum 228
Cheilanthes **angustifrondosa** . . **48**, Plate 2
fragilis 48
Cheiranthus boccone 94
helveticus 94
linifolius 98
Chlorosplenium aeruginosum . . . **212**
Chrysomyxa dietelii 204
himalense **204**, 205
rhododendri 204
taghishae **204**
Cintractia *axicola* var. *minor* . . . 210
minor **210**
Clavaria mira 199
sachalinensis 199
Clavariadelphus fistulosus . . . 199
ligula 200
mirus **199**
pistillaris 199
sachalinensis **199**
Clematis vitalba **86**
Clitocybe diatreta **190**
infundibuliformis **190**
Coleosporium campanulae . . . **205**, 207
Coleroa **daphnes** . . . . **214**, Fig. 6
Cordyceps sinensis **215**
Corynelia fructicola **212**
Cotoneaster acuminatus . 126, **132**, 134, 141
acutifolius . . . 126, **134**, 141
adpressa 131
affinis 127, **140**, 141
var. *bacillaris* 139
var. *typica* 140
bacillaris . . 127, **139**, 140, 141
var. *affinis* 140
bullatus 126, **133**, 141
buxifolia forma *cochleata* . . 135
congesta 135
conspicua 136
var. *decora* 136
cooperi 139
distichus . . 125, **127**, 130, 132, 141
var. **parvifolius** **129**
var. **verruculosus** . . . **128**
divaricatus . . . 126, **132**, 141
frigida var. *affinis* 140
frigidus . . . 127, **139**, 140, 141
hebephyllus 127, **138**, 141
horizontalis . . . 126, 129, **131**, 141
integerrimus 132

Cotoneaster—*contd.*
microphyllus . 126, **134**, 137, 141
multiflorus . . . 127, **137**, 141
nummularia 138
obtusa 139
prostrata 136
racemiflorus . . 127, **138**, 141
rotundifolia 127
rotundifolius . . 126, **136**, 141
rubens . . 126, 130, **131**, 141
sanguineus . . 126, **130**, 141, Plate 4
simonsii . . . 126, **132**, 141
taylorii . . 126, **129**, 141, Plate 3
verruculosa 128
Cotoneasters from the Eastern Himalaya 125–141
Craterellus cornucopioides . . . **191**
Crucibulum vulgare **202**
CRUCIFERAE 92–110
Ctenitis cirrhosa **174**
currori **174**
var. **tomentella** **174**
fraterna 176
jenseniae **174**
lanigera **175**
protensa **175**
securidiformis **175**
variabilis **175**
var. **speciosa** **176**
Cyathea camerooniana . . . 149, **154**
manniana 149, **155**
CYATHEACEAE 154–155
Cyathipodia corium **211**
Cyathus lesueurii **202**
Cyclosorus **costularis** **158**
dentatus **157**, 159
dewevrei **157**
microbasis **157**
quadrangularis **158**
striatus **159**

Daedalea heteromorpha 196
pini 194
Davallia chaerophylloides . . . **160**
speluncae 159
DAVALLIOIDEAE 160
Delarbrea collina 10, **18**
Dendropanax *burmanicus* . . . 19
chevalieri 19
intercedens 19
japonicum 18
japonicus 19
trifidum 18
DENNSTAEDTIACEAE . . . 159–178
DENNSTAEDTIOIDEAE . . . 159–160
Dicraeanthus parmelioides . . . 60
Dicraeia garrettii 60, 67
ledermannii 71
Dicranopteris linearis 153
Diplazium hylophilum **177**

Diplazium—*contd.*
incisum 177
proliferum **177**
sammatii **178**
serratum 177
silvaticum 177
welwitschii **178**
Diplostachium eatoni 43
tenellum 42
Diplostachyum apodum 243
ludovicianum 242
Disciseda cervina **201**
verrucosa 201
'Doradilla' 227
Doryopteris concolor . . . 169, **180**
nicklesii **181**
pilosa **49**
Dothidea fulva 216
Drynaria laurentii **156**
Dryopteris afra 157
dewevrei 157
guineensis 48
jenseniae 174
megaphylla 157
tomentella 174

Elaphoglossum spathulatum . . . **49**
Erodium astragaloides 115
carvifolium . . . 114, 115, 116
cazorlanum **116**
celtibericum 118
cheilanthifolium 114, 115, 116, 117, 118
cicutarium **113**
daucoides . . **113**, 116, 119, 120
var. **latilobum** **115**
petraeum 118, 119
romanum 116
supracanum 118
trichomanifolium . . 114, 115, **116**
subsp. **cheilanthifolium** . . **117**
var. **cavanillesii** . . . **118**
trichomanifolium 117
Erysimum *australe* . . . 93, 96, 98
bocconi 94
canescens 93, 96, 98
diffusum 94
duriaei **98**
grandiflorum . **93**, 96, 97, 98, 104
helveticum 94
hieracifolium 94
lagascae 101
linariaefolium 94
linifolium 97, **98**
subsp. **baeticum** . . . **100**
subsp. **cazorlense** . . . **102**
var. **lagascae** . . . 99, **101**
linifolium . . . 99, 100, 101
longifolium 93

Erysimum—*contd.*
myriophyllum . . . 95, **96**, 104
nevadense 97, **98**
pallens 93, 96
popovii . . . 99, 100, 102
pumilum 94
simplex 96
stoechadifolium 94
virgatum 94
Exidia tenuis 197
Exoascus pruni 214
Exobasidium fawcettii 197
pieridis **197**

Favolus multiplex 190
FILICINAE 150–182
Fomes marginatus **193**
roseus **193**
Fumago vagans **217**
Fumaria *crassifolia* 90
macrosepala **89**
malacitana 89
megasepala 89
FUMARIACEAE 89–92
Fungi, Some Himalayan . . 189–218
FUNGI IMPERFECTI . . . 216–218

Ganoderma lucidum **193**
GASTEROMYCETES 201–202
Geastrum *hygrometricum* . . . 201
triplex **201**
Geoglossum ophioglossoides . . . **213**
GERANIACEAE 111–120
Geranium cataractarum **111**
cazorlense **112**
cicutarium 113
cinereum 113
lucidum **112**
rotundifolium **112**
Gilibertia siamensis 19
sinensis 19
Gleichenia linearis **153**
GLEICHENIACEAE 153
Gloeophyllum edule 192
Goniopteris patens 158
silvatica 158
Gomphus floccosus **191**
Grammitis lanceolata 157
Grifola *montana* 193
sulphurea **193**
Gymnogramme lanceolata . . . 157
unita 158
GYMNOGRAMMOIDEAE . . . 178–181
Gymnogynum domingense . . . 36
Gymnopteris heudelotii 172
Gymnosporangium clavariaeforme . . **205**
cunninghamianum . . 203, **205**
ellisii 205
padmarense . . . . **205**, Fig. 2

Helleborus foetidus **86**
Helvella crispa **211**
elastica 212
pezizoides 212
Hemionitis acrostichoides . . . 171
Hendersoniella **tibetica** . . . **216**, Fig. 8
Hepatica nobilis **86**
Hericium **caput-ursi** **192**
coralloides 192
Hesperis linifolia 98, 99
repanda . . . 99, 101, 103
Heywood, V. H. 83–122
Hirneola tenuis **197**
Hydnum *caput-ursi* 192
erinaceus **192**
Hymenochaete mougeotii . . . **196**
HYMENOMYCETES 190–201
HYMENOPHYLLACEAE . . . 153–154

Inonotus radiatus **194**
Inversodicraea **abbayesii** . . **67**, 69, Fig. 8
adamesii . . . . **69**, Fig. 9
garrettii **67**, 69
kamerunensis 69
keayi . . . . . **78**, Fig. 14
laciniata 55
ledermannii . 69, **71**, Figs. A, B
ledermannii 72
macrothyrsa **67**
minima 57
musciformis . . . **75**, Fig. 12
pygmaea . . 69, **72**, Figs. 10, C
tenuifolia . . . . **72**, Fig. 11
variabilis . . . . **75**, Fig. 13
Jungermannia mastigophora . . . 44
Kissodendron australianum . . . 13
bipinnatum 13
Lacis Dicraea 60
Leiocarpodicraea sphaerocarpa . . . 59
Leiothylax sphaerocarpa 59
Lenzites betulina 192
cyclogramma 192
eximia **191**
subferruginea **192**
Leptochilus gemmifer 172
Leptopodia elastica **212**
pezizoides **212**
Leptoporus borealis **194**
Letestuella chevalieri **59**
tisserantii . . . . **57**, Fig. 3
Lindsaea ensifolia 161
LOMARIOPSIDOIDEAE . . . 171–174
Lomariopsis guineensis . . . **173**, 174
palustris **173**
rossii **173**
Lonchitis currori **163**
occidentalis 163
pubescens 163

Lonchitis—*contd.*
reducta **163**
Loxogramme lanceolata **157**
latifolia 149, **157**
Lycoperdon atropurpureum **201**
caelatum **201**
perlatum **202**
pyriforme **202**
LYCOPODIACEAE 182–183
LYCOPODIINAE 182–185
Lycopodioides apodum 243
dentatum erectum filicinum . . . 32
flabellatum 32
Lycopodium *adolfi-friderici* 183
albidulum 243
anceps 236
apodum 243
articulatum 253
brasiliense 248
cernuum **182**
circinale 229, 231
convolutum 31, 227
cordifolium 39
cuspidatum 231
denudatum 38
denticulatum 242
didymostachyum 38
diffusum 259
domingense 36
douglasii 242
exaltatum 253
flabellatum 32, 248
var. *strictum* 237
flabellum 34
gracile 236
haematodes 234
heterodonton 40
hispidum 38
horizontale 260
lepidophyllum 229
louisianum 242
marginatum 255
myosurus 184
nidiforme 229
novae-hollandiae 252
nudum 185
ornithopodioides 33
ovalifolium 242
pallescens 231
patulum 33
phlegmaria 183
plumosum 36, 40
poeppigianum 36
revolutum 228
serpens 40, 247
staudtii **183**
stoloniferum . . . 36, 248, 257
sulcatum 257
tenellum 42
umbrosum 30, 233

Lygodium flexuosum 152
microphyllum **152**
pinnatifidum 152
scandens 152
smithianum 149, **152**

Mackinlaya, A revision of the genus . 3–9
Mackinlaya *amplifolia* 3, 4, 8
brassii 5, **6**, 7
celebica 5, 6, **8**
confusa 3, 4, 5, **8**
digitata 5, **7**
klossii 5, **6**, 7
macrosciadea **5**, 6
macrosciadea 8
radiata 5, **6**
schlechteri 5, 6, **7**
subulata 5, **7**
versteegii 5, **7**
warburgii 5, **8**
Marattia fraxinea **152**
MARATTIACEAE 152
Marsilea diffusa **181**, 182
fimbriata **181**
polycarpa **182**
MARSILEACEAE 181–182
Mastichodendron foetidissimum . 21, 22, 23
sloaneanum . . . . **23**, Plate I
Melampsora *ariae* 206
helioscopiae **205**
magnusiana **206**
Melasmia acerina **217**
punctata **217**
Merulius **imbricatus** **192**
tremellosus 192
Meryta **spathipedunculata** . . . **12**
Mespilus affinis 140
Microgramma lycopodioides . . . **155**
Microlepia speluncae **159**
Microsorium punctatum **156**
Mitremyces junghuhnii **202**
Muscus repens, squammosus . . . 35
squammosus, erectus . . . 32
squammosus repens . . . 35
squamosus, ramosissimus, erectus . 32
squamosus, ramosissimus, repens . 35

Nasturtium asperum 106, 107
boissieri 107, 108
officinale 105
Nephrodium costulare 158
microbasis 158
molle 158
monocarpum 162
obliteratum 162
pennigerum 157
quadrangulare 158
subquinquefidum 175
var. *securidiforme* 175
truncatum 157

Nephrodium—*contd.*
unitum 159
variabile 175
Nephrolepis *acuta* 160
biserrata **160**
cordifolia 161
occidentalis 161
punctulata var. *hirsuta* . . . 160
ramosa 162
undulata 148, **161**
Nothopanax cumingii 9
pinnatum 9
Notulae criticae ad floram hispaniae pertinentes 83–122

Ochropsora ariae **206**
sorbi 207
Oleandra distenta **161**
ejurana **161**
Oleandroideae 160–162
Ophiobolus **pangkarensis** . . **215, Fig. 7**
Ophioglossaceae 150–151
Ophioglossum ammophilum **150**
costatum **49, 151**
fenixii 49
fibrosum 151
gomezianum **151**
gramineum **151**
macrorrhizum **151**
pedunculosum 49
reticulatum **151**
sarcophyllum 49

Panax cumingiana 9
fruticosum 9
macrosciadeus 5
pinnatum 8
secundum 8
zippelianum 13
Papaver rhoeas **88**
Papaveraceae 88–89
Paratropia cumingiana 8
Patellaria spermatiospora . . . 213
Pau, Carlos, Cartas á un botánico . 120–121
Pellaea doniana 169, **180**
geraniifolia 180
Peridermium orientale **207**
thomsoni **207**
Peziza aurantia 212
corium 211
Phegopteris angelicaefolia 176
Phellinus igniarius **194**
pini **194**
Philipson, W. R. 3–24
Phymatodes scolopendria **156**
Pityrogramma calomelanos **178**
Platycerium angolense **155**
stemaria **155**
Plerandra **brassii** **10**
Plerandra—*contd.*
micrantha **10**
solomonensis **10**
stahliana 10, 11
Pleurotus **nepalensis** **190**
Podostemaceae, Notes on, for the revision of the Flora of West Tropical Africa 53–79
Podostemum ceratophyllum 60
Pohliella **flabellata** . . . . **53, Fig. 1**
Polypodiaceae 155–157
Polypodium angelicaefolium 176
cameroonianum 176
crassinerve 156
dentatum 157
fernandense 177
lineare 153
lycopodioides 155
orientale 162
owariense 155
phymatodes 156
propinquum var. *laurentii* . . 156
pubescens 175
punctatum 156
scolopendria 156
speluncae 159
willdenowii 156
Polyporellus arcularius **194**
brumalis **194**
Polyporus abietinus 195
affinis 195
arcularius 194
berkeleyi 199
borealis 194
brumalis 194
cinnamomeus 195
igniarius 194
lucidus 193
marginatus 193
montanus 193, 199
perennis forma *cinnamomeus* . . 195
pubescens 196
radiatus 194
roseus 193
sulphureus 193
velutinus 195
versicolor 196
Polyscias **belensis** **13**
caroli 13
cumingiana 9
Forbesii 14
fraxinifolia **13**
gjelleruppii 13
macgillivrayi 9, **14**
pinnata 9
rumphiana 9
schultzei 13
sorongensis 9
Polystictus affinis **195**
cinnamomeus **195**
velutinus **195**

Polystigma fulvum **216**
ochraceum 216
PSILOPHYTINAE 185
PSILOTACEAE 185
Psilotum nudum **185**
Pteridium aquilinum **163**
PTERIDOIDEAE 163–167
Pteridophyta, A list of the Gold Coast 145–185
Pteris acanthoneura **164**
aquilina 163
atrovirens **164**, 166
atrovirens 164
biaurita **165**
biaurita 164, 166
burtoni 149, **165**
concolor 180
cornuta 178
currori 163
geraniifolia 180
johnstoni 165
marginata 167
mildbraedii 164, **166**
quadriaurita **166**
similis **166**
spinulifera 164
togoensis 166
tripartita **167**
vittata **167**
Puccinia apii 207
bistortae 210
chelonopsidis . . . **207**, Fig. 3
coronata **208**
festucae **208**
gentianae **208**
graminis **209**
heraclei **209**
persistens 204
pimpinellae **209**
rupestris **209**
saniculae 203
taylorii . . . . **209**, Fig. 4
violae **210**
ziziphorae 208

Ramaria **fuscobrunnea** **200**
subaurantiaca **200**
Ramariopsis kunzei **200**
RANUNCULACEAE 84–88
Ranunculus *acris* 86
blepharicarpos 87
carpetanus 88
escurialensis 88
flabellatus **87**, 88
granatensis **86**
malessanus **87**
nevadensis 87, 88
nigrescens 87
steveni 86
suborbiculatus 88

Rorippa *aspera* 106
subsp. *boissieri* 107
boissieri 107
microphylla 110
nasturtium-aquaticum . . . **105**, 110
pseudo-boissieri 108

Salvinia nymphellula 148, **182**
SALVINIACEAE 182
Sarcocapnos baetica **90**, 92
var. *integrifolia* 92
crassifolia **90**
enneaphylla 90
enneaphylla 90
integrifolia 91, **92**
var. *baetica* 90
speciosa 90
Sarcoscypha coccinea 212
sherriffii . . . . **212**, Fig. 5
Saxicolella macrothyrsa 67
Schefflera **archboldiana** **16**
babalia **17**
barbata **15**
bractescens 16
corallinocarpa 14
falcata **17**
gigantea **14**
hirsuta **15**
nabirensis **16**
pullei 14
reticulata **15**
rudolfi 16
scytinophylla 16
secunda **14**
setulosa 15
thamasiantha 14
venulosa 17
SCHIZAEACEAE 152–153
Schizoloma ensifolium 148, **161**
Scytinopogon angulisporus 198
Selaginella, A revision of the West Indian species of 27–47
Selaginella *albidula* 243
var. *macrostachya* 242
albonitens 250
albo-nitens 33, 34, 42
amoena 238
anceps . . . 27, 32, 223, **236**
anceps . . . 237, 254, 257
anomala 46, 263
apoda . . . 221, 224, **243**
apus 46
var. *denticulata* 242
var. *macrostachya* 242
apus 42, 243
arbuscula 240
armata . 30, **43**, 45, 221, 225, **246**
arthritica . . . 226, **254**, 259
articulata 226, **253**

Selaginella—*contd.*
atirrensis 259
barbacoasensis 264
bernoullii 250
binervis 250
bombycina 222, **236**
bracei 28, 30, **44**
braunii **262**
brevicaulis 40
breynii 263
broadwayi 250
buchholzii **183**
bulbifera 250
californica . . . 223, 225, **239**
calosticha 263
caribensis 33
carioi 244
cathedrifolia 183
chilensis 263
cladorrhizans . 43, 225, 226, **252**
concinna 263
conduplicata 254
conferta 40
confusa 28, 29, **33**
confusa 33, 39, 44
consimilis 43
convoluta . 28, 29, **31**, 221, 222, **227**, 233
cordifolia 28, **39**
costaricensis 237
crassinervia 237
crassinervia 41
cuspidata 31, 36, 231
decomposita 248
delicatissima . . . 224, **240**
demissa 246
denudata 28, 29, **38**
didymostachya 38
diffusa . . . 221, 227, **259**
diffusa 260
douglasii 224, **242**
eatoni 43, 44, 246
Emiliana 233
var. *aurea* 233
emmeliana 231
enckei 238
erythropus 30, 234
var. *major* 233
estrellensis 225, **249**
eurynota . . . 227, 260, **261**
eurynota 260
exaltata 226, **253**
faucium 38, 243
feeana 241
fendleri 260
fimbriata 247
flabellata 27, 29, **31**
flabellata . . . 235, 236, 237
flabellatiformis 32
flabellum 28, 29, **34**

Selaginella—*contd.*
flagellata . . . 27, 221, 226, **253**
flexuosa 46, 244
flexuosa 38, 39
fuertesii 28, 29, **37**
galeottii . . 227, 255, 256, **257**
galeottii 256
geniculata 254, 257
gracilis 236
guatemalensis 224, **244**
guatemalensis 237, 245
haematodes 222, **234**
haenkeana 34
harrisii 31, 238
hartii 32
hartwegiana 236
heterodonta 28, 30, **40**
hispida . . . 28, 30, **38**, 240
hoffmannii 222, **235**
homaliae 263
horizontalis . . 227, 256, **260**, 261
huehuetenangensis . . . 224, **245**
humboldtiana 256
idiospora 224, **246**
illecebrosa 223, **239**
incana 231
incurvata 247
intacta 227, **259**
jungermannioides 46
karsteniana 35, 251
kraussiana **45, 262**
krugii 28, 29, **37**
kunzeana 227, 257, **262**
kunzeana 259
lasiophylla 263
lasiophylla 38, 39
laxifolia 28, 29, **33**
lehmanni 244
lemairei 30, 233
leonardi 28, 29, **37**
lepidophylla . . . 222, **228**, 231
lepidophylla 31, 231
liebmanni 247
lindenii 224, **240**, 263
longispicata 31, 228
ludoviciana 224, **242**
lychnuchus 225, **247**
lychnuchus 247
macrophylla 258
var. *rigidiuscula* 247
macroura 247
mandaiana 258
marginata . . . 37, 221, 227, **255**
martensii 46, 225, **248**
forma **albolineata** **249**
forma **albovariegata** **248**
var. *variegata* 248
martensii 247, 249, 261
mayerhoffii 34
menziesii 240

Selaginella—*contd.*
microdendron 28, 29, **31**, 221, 222, 223, 233, **238**
microdonta 27
microphylla 40, 244
millspaughii 238
minima 225, **250**
miradorensis 247
mnioides 47
mnioides . . . 249, 257, 261
molliceps **183**
mollis . . . 225, 226, **249**
mollis 42
monospora 37
mosorongensis . . . 223, **240**
myosurus **184**
nashii 34
nicaraguensis . . 252, 254, 256
novae-hollandiae . . . 226, **252**
novoleonensis . . . 222, **228**
oaxacana 223, **237**
oaxacana 236
orizabensis 225, **252**
ottonis 39
ovifolia . 27, 30, **45**, 221, 224, **244**
pallescens . 222, 223, 228, **231**, 238
forma **aurea** **233**
panamensis 263
pansamalensis 244
paucicilíata 28, **30**
patula . . . 33, 40, 43, 263
pauciciliata 28, 30
pilifera . . . 221, 222, **230**
var. *pringlei* 230
pilifera 228
pilosiuscula 39
plagiochila . . . 28, 30, **39**, 45
plagiochila 43
plana **46**, **262**
plumieri 28, 29, **37**
plumosa 27, 29, **35**
Poeppigiana 257
var. *mexicana* 257
polycephala 259
porelloides 46, 47, 263
porelloides 33, 34, 263
porphyrospora . . 226, 240, **250**
portoricensis . . . 34, 37
prasina 28, 30, **41**
pringlei 230
producta 27
puberula 235
pulcherrima . . . 223, **238**
pulcherrima . . . 231, 236, 238
purpuripes 241
radiata 236
radiata 252
rediviva 229
reflexa 224, **244**

Selaginella—*contd.*
revoluta . . . 225, 240, **246**
rhizophora 253
rhodospora 43, 246
rigida 35
rotundifolia . . . 27, 30, **44**
rotundifolia 43, 45
rubella 263
rupestris 30
saccharata 240, 241
sagraeana 44
sanguinolenta 241
sarmentosa 40
sartorii 252
scandens 184, 264
schaffneri 223, **240**
schiedeana 225, **247**
schiedeana . . . 244, 259, 262
schizobasis . . 227, 255, 256, **261**
schizobasis 249
schrammii 249
seemanni 264
serpens . . . 28, 30, **40**, 46
var. *acutiuscula* . . . 39
serpens . . 39, 241, 252, 259
sertata . . . 227, **256**, 260
setigera 40
sherringii 34
silvestris 227, **257**
sintenisii 34
solmsii 248
speciosa 236
spirillum 241
sprucei 236
stellata 255
stellata 235
stenophylla 225, **247**
stolonifera 34, 36
subcaulescens, . . . 28, 29, **34**
substipitata . . 27, 29, **34**, 47
substipitata 34
sulcangula . . . 31, 231, 238
sulcata 260, 264
swartzii 38, 240
sylvatica 260
tarapotensis . . 38, 224, **243**
tenella . . 28, 30, 33, **42**, 46, 47
thoytsiana 229
tomentosa 264
trifurcata 27
truncata 264
tuerckheimii 261
umbrosa . 27, 28, **30**, 221, 222, **233**
undulata 235
usteri 263
vaginata 247
versicolor **184**, 236
viticulosa . . . **46**, 223, **240**
viticulosa 235

Selaginella—*contd.*
vogelii **184**
watsoniana 249
weberi 235
wendlandii 237
willdenovii 46
wilsoni 33
zechii 183
SELAGINELLACEAE 183–185
Selaginellae, The heterophyllous, of continental North America . . 221–274
Selago 1. Ramosa repens, et radiculosa . 40
Sideroxylon mastichodendron . . 22, 23
Sisymbrella aspera **106**
subsp. **boissieri** . 106, **107**, 108, 109
subsp. **pseudoboissieri** **108**, 109, 110
boissieri 107
pseudo-boissieri 108
Sisymbrium arundanum 106
asperum 106, 107
boissieri 108
crassifolium **105**
var. *laxiflorum* 105
laxiflorum **105**
nasturtium-aquaticum 105
pseudo-boissieri 108
Spathularia flavida **212**
Sphacelotheca fagopyri **210**
hydropiperis **211**
monilifera **211**
Sphaeria hypoxylon 216
sinensis 215
Sphaerothylax **sphaerocarpa** **59**
Sphagnum 5. Scandens diffusum, foliolis cordato-acuminatis 36
Stachygynandrum scandens . . . 184
Stenochlaena guineensis 173
Stereum hirsutum **196**
lobatum **196**
purpureum **196**
Stonesia fascicularis . . . . **65**, Fig. 6
gracilis . . . . **65**, Fig. 7
heterospathella . **60**, 67, Figs. 4, 5

Taphrina deformans **214**
pruni **214**
Taylor, G. 53–79
Tectaria angelicifolia **176**
buchholzii 148, **176**
fernandensis **177**
TECTARIOIDEAE 174–177
Tetraplasandra koordersii 11
paucidens 11
philippinensis 11
solomonensis **11**

Thalictrum flavum **88**
glaucum 88
speciosissimum 88
Thelephora mougeotii 197
THELYPTERIDACEAE 157–159
Thelypteris cruciata **159**
guineensis **48**
Trametes abietina **195**
heteromorpha **196**
pubescens 195, **196**
versicolor **196**
Tremella frondosa **197**
mesenterica **197**
Trichoderma viride **217**
Trichomanes africanum **153**
chaerophylloides 160
chamaedrys **153**
chevalieri **153**
cupressoides **154**
erosum **154**
guineense **154**
liberiense **154**
melanotrichum 153
mettenii **154**
muscoides 154
rigidum 154
Trichosphaeria macularis 214
Trispermium erectum spicis triangularibus 32
Tympanis spermatiospora **213**

Ugena microphylla 152
UREDINALES 202–210
Uredo campanulae 205
gentianae 208
helioscopiae 205
hydropiperis 211
olivacea 211
pimpinellae 209
Uromyces hobsoni **210**
Urostachys adolfi-friderici 183
staudtii 183
USTILAGINALES 210–211
Ustilago crameri **211**
monilifera 211
morinae **211**
olivacea **211**
Vittaria guineensis **181**
lineata 181
owariensis **181**
VITTARIOIDEAE 181

Xylaria hypoxylon **216**

Yü, T.-T. 125–141